


DRFB Series - Hose reel w/ safety retraction - PU/PVC hose



Description						
Reference	ID (in)	Length (ft)	Coupler	Fixed inlet (in)	Flow rate (CFM)	Weight (lb)
DRFB 0812IS	5/16"	40'	ISI 06	5/16"	18	13.22
DRFB 0815IS	5/16"	50'	ISI 06	5/16"	12	15.43
DRFB 1010IS	3/8"	33'	ISI 06	3/8"	29	12.57
DRFB 1012IS	3/8"	40'	ISI 06	3/8"	28	15
DRFB 0812US	5/16"	40'	USI 06	5/16"	18	13.22
DRFB 0815US	5/16"	50'	USI 06	5/16"	12	15.43

Reference	ID (in)	Length (ft)	Coupler	Fixed inlet (in)	Flow rate (CFM)	Weight (lb)
DRFB 1010US	3/8"	33'	USI 06	3/8"	29	12.57
DRFB 1012US	3/8"	40'	USI 06	3/8"	28	15
DRFB 0812ES	5/16"	40'	ESI 07	5/16"	18	13.22
DRFB 0815ES	5/16"	50'	ESI 07	5/16"	12	15.43
DRFB 1010ES	3/8"	33'	ESI 07	3/8"	32	12.57
DRFB 1012ES	3/8"	40'	ESI 07	3/8"	28	15
DRFB 0812AS	5/16"	40'	ASI 06	5/16"	18	13.22
DRFB 0815AS	5/16"	50'	ASI 06	5/16"	12	15.43
DRFB 1010AS	3/8"	33'	ASI 06	3/8"	28	12.57
DRFB 1012AS	3/8"	40'	ASI 06	3/8"	28	15



Dimensions

Reference	A inch	B inch
DRFB 0812IS	13.386	11.89
DRFB 0815IS	14.567	13.268
DRFB 1010IS	13.386	11.89
DRFB 1012IS	14.567	13.268
DRFB 0812US	13.386	11.89
DRFB 0815US	14.567	13.268
DRFB 1010US	13.386	11.89
DRFB 1012US	14.567	13.268
DRFB 0812ES	13.386	11.89
DRFB 0815ES	14.567	13.268
DRFB 1010ES	13.386	11.89
DRFB 1012ES	14.567	13.268
DRFB 0812AS	13.386	11.89
DRFB 0815AS	14.567	13.268
DRFB 1010AS	13.386	11.89
DRFB 1012AS	14.567	13.268