


## DRFB Series - Hose reel w/ safety retraction - PU/PVC hose



Description						
Reference	ID (in)	Length (ft)	Coupler	Fixed inlet (in)	Flow rate (CFM)	Weight (lb)
<b>DRFB 0812IS</b>	5/16"	40'	ISI 06	5/16"	18	13.22
<b>DRFB 0815IS</b>	5/16"	50'	ISI 06	5/16"	12	15.43
<b>DRFB 1010IS</b>	3/8"	33'	ISI 06	3/8"	29	12.57
<b>DRFB 1012IS</b>	3/8"	40'	ISI 06	3/8"	28	15
<b>DRFB 0812US</b>	5/16"	40'	USI 06	5/16"	18	13.22
<b>DRFB 0815US</b>	5/16"	50'	USI 06	5/16"	12	15.43

Reference	ID (in)	Length (ft)	Coupler	Fixed inlet (in)	Flow rate (CFM)	Weight (lb)
<b>DRFB 1010US</b>	3/8"	33'	USI 06	3/8"	29	12.57
<b>DRFB 1012US</b>	3/8"	40'	USI 06	3/8"	28	15
<b>DRFB 0812ES</b>	5/16"	40'	ESI 07	5/16"	18	13.22
<b>DRFB 0815ES</b>	5/16"	50'	ESI 07	5/16"	12	15.43
<b>DRFB 1010ES</b>	3/8"	33'	ESI 07	3/8"	32	12.57
<b>DRFB 1012ES</b>	3/8"	40'	ESI 07	3/8"	28	15
<b>DRFB 0812AS</b>	5/16"	40'	ASI 06	5/16"	18	13.22
<b>DRFB 0815AS</b>	5/16"	50'	ASI 06	5/16"	12	15.43
<b>DRFB 1010AS</b>	3/8"	33'	ASI 06	3/8"	28	12.57
<b>DRFB 1012AS</b>	3/8"	40'	ASI 06	3/8"	28	15



### Dimensions

Reference	A inch	B inch
<b>DRFB 0812IS</b>	13.386	11.89
<b>DRFB 0815IS</b>	14.567	13.268
<b>DRFB 1010IS</b>	13.386	11.89
<b>DRFB 1012IS</b>	14.567	13.268
<b>DRFB 0812US</b>	13.386	11.89
<b>DRFB 0815US</b>	14.567	13.268
<b>DRFB 1010US</b>	13.386	11.89
<b>DRFB 1012US</b>	14.567	13.268
<b>DRFB 0812ES</b>	13.386	11.89
<b>DRFB 0815ES</b>	14.567	13.268
<b>DRFB 1010ES</b>	13.386	11.89
<b>DRFB 1012ES</b>	14.567	13.268
<b>DRFB 0812AS</b>	13.386	11.89
<b>DRFB 0815AS</b>	14.567	13.268
<b>DRFB 1010AS</b>	13.386	11.89
<b>DRFB 1012AS</b>	14.567	13.268