


## prevoS1 blow gun with metal nozzle



|   |   |  |  |
|---|---|--|--|
| <p><b>Blowing force (at 6 bar (g))</b></p> <p>390</p> | <p><b>Dynamic pressure (at 10 mm at 6 bar (bar))</b></p> <p>2.2</p> | <p><b>Air consumption (at 6 bar (Nm3/h))</b></p> <p>20</p> | <p><b>Sound level (at 6 bar (dBA))</b></p> <p>89</p> |
| <p><b>Max operating pressure</b></p> <p>12 bar</p>    | <p><b>Temperature</b></p> <p>-15°C to +70°C</p>                     | <p><b>Construction</b></p> <p>Polyamide composite body</p> | <p><b>Highlight</b></p> <p>Compact</p>               |
| <p><b>Connection</b></p> <p>Built-in adaptor</p>      |   |  |  |

| Description |                              |  |                                    |                              |
|-------------|------------------------------|--|------------------------------------|------------------------------|
| Reference   | Blowing force (at 6 bar (g)) | Dynamic pressure (at 10 mm at 6 bar (bar)) | Air consumption (at 6 bar (Nm3/h)) | Sound level (at 6 bar (dBA)) |

|           |     |     |    |    |
|-----------|-----|-----|----|----|
| EBG 07MTL | 390 | 2.2 | 20 | 89 |
|-----------|-----|-----|----|----|



### Dimensions

| Reference        | A inch | B inch |
|------------------|--------|--------|
| <b>EBG 07MTL</b> | 168    | 97     |