

prevoS1 blow gun, quick coupler and ear clamp set



| Description | | | | | | | |
|---------------------|----------|-------------------|--|--------------------|--|-------------------------|---------------------|
| Reference | Nozzle | Blowing force (g) | Includes | Fitting (prevo S1) | Dynamic pressure ((psi) at 0.39 inches, at 87 psi) | Air consumption (Nm3/h) | Noise level (dB(A)) |
| RIBG 06MTLHP | MTL OSHA | 248 | 1 blow gun: IBG 06MTLH 1 coupler: ISI 061808 1 ear clamp: 1517 | ISI 06 | 2.3 | 7.7 | 85 |
| RIBG 06OSHP | OSHA | 390 | 1 blow gun: IBG 06OSH 1 coupler: ISI 061808 1 ear clamp: 1517 | ISI 06 | 2.2 | 20 | 89 |

| Reference | Nozzle | Blowing force (g) | Includes | Fitting (prevo S1) | Dynamic pressure ((psi) at 0.39 inches, at 87 psi) | Air consumption (Nm3/h) | Noiselevel (dB(A)) |
|---------------------------|--------|-------------------|--|--------------------|--|-------------------------|--------------------|
| RIBG 06MTL810P | MTL | 390 | 1 blow gun: IBG 06MTL 1 coupler: ISI 061810 1 ear clamp: 1518 | ISI 06 | 2.2 | 20 | 89 |

