


Treated steel double ear o clips



<u>Ø min./max. (mm)</u> 07 - 09	<u>Band width (mm)</u> 6	<u>Packaging</u> 100	<u>Highlight</u> Tamperproof clamp
------------------------------------	-----------------------------	-------------------------	---------------------------------------

Description					
Reference	Ø min./max. (mm)	Band width (mm)	Packaging	Ø min./max. (in)	Band width (in)
0709	07 - 09	6	100	0.71 - 0.83	0.276
0911	09 - 11	7	100	0.79 - 0.91	0.315
1113	11 - 13	7	100	0.87 - 0.98	0.354
1315	13 - 15	7	100	0.91 - 1.06	0.354

Reference	Ø min./max. (mm)	Band width (mm)	Packaging	Ø min./max. (in)	Band width (in)
1517	14 - 17	7	100	0.98 - 1.10	0.354
1518	15 - 18	7	100	1.06 - 1.22	0.354
1720	17 - 20	7	100	1.22 - 1.34	0.354
1821	34 - 37	9	100	1.46 - 1.57	0.394
2023				1.57 - 1.69	0.394
2225				1.69 - 1.81	0.394
2327					
2528					
2731					
3134					
3437					
3740					
4043					
4346					



Dimensions

Reference	A inch	B inch
0709	9.3	3
0911	11.3	3
1113	13.3	3.5
1315	15.3	3.5
1517	17.5	4.5
1518	18.5	4.5
1720	20.5	5.5
1821	0.070538057742782	0.018044619422572
2023	0.077099737532808	0.018044619422572
2225	0.083661417322835	0.019685039370079
2327	0.090223097112861	0.021325459317585
2528	0.093503937007874	0.022965879265092
2731	0.10334645669291	0.022965879265092
3134	0.11318897637795	0.024606299212598
3437	37.5	7.5

Reference	A inch	B inch
3740	0.13287401574803	0.026246719160105
4043	0.14271653543307	0.027887139107612
4346	0.15255905511811	0.027887139107612