


## Treated steel double ear o clips



<u>Ø min./max. (mm)</u> 07 - 09	<u>Band width (mm)</u> 6	<u>Packaging</u> 100	<u>Highlight</u> Tamperproof clamp
------------------------------------	-----------------------------	-------------------------	---------------------------------------

Description					
Reference	Ø min./max. (mm)	Band width (mm)	Packaging	Ø min./max. (in)	Band width (in)
<b>0709</b>	07 - 09	6	100	0.71 - 0.83	0.276
<b>0911</b>	09 - 11	7	100	0.79 - 0.91	0.315
<b>1113</b>	11 - 13	7	100	0.87 - 0.98	0.354
<b>1315</b>	13 - 15	7	100	0.91 - 1.06	0.354

Reference	Ø min./max. (mm)	Band width (mm)	Packaging	Ø min./max. (in)	Band width (in)
<b>1517</b>	14 - 17	7	100	0.98 - 1.10	0.354
<b>1518</b>	15 - 18	7	100	1.06 - 1.22	0.354
<b>1720</b>	17 - 20	7	100	1.22 - 1.34	0.354
<b>1821</b>	34 - 37	9	100	1.46 - 1.57	0.394
<b>2023</b>				1.57 - 1.69	0.394
<b>2225</b>				1.69 - 1.81	0.394
<b>2327</b>					
<b>2528</b>					
<b>2731</b>					
<b>3134</b>					
<b>3437</b>					
<b>3740</b>					
<b>4043</b>					
<b>4346</b>					



### Dimensions

Reference	A inch	B inch
<b>0709</b>	9.3	3
<b>0911</b>	11.3	3
<b>1113</b>	13.3	3.5
<b>1315</b>	15.3	3.5
<b>1517</b>	17.5	4.5
<b>1518</b>	18.5	4.5
<b>1720</b>	20.5	5.5
<b>1821</b>	0.070538057742782	0.018044619422572
<b>2023</b>	0.077099737532808	0.018044619422572
<b>2225</b>	0.083661417322835	0.019685039370079
<b>2327</b>	0.090223097112861	0.021325459317585
<b>2528</b>	0.093503937007874	0.022965879265092
<b>2731</b>	0.103346456669291	0.022965879265092
<b>3134</b>	0.11318897637795	0.024606299212598
<b>3437</b>	37.5	7.5

Reference	A inch	B inch
<b>3740</b>	0.13287401574803	0.026246719160105
<b>4043</b>	0.14271653543307	0.027887139107612
<b>4346</b>	0.15255905511811	0.027887139107612