

## AIRCA hose extension with prevoS1 safety quick release couplers



<u>ID (in)</u> 3/8"	<u>Length (ft)</u> 25'	<u>Coupler</u> ISI 061810	<u>Operating pressure</u> 29 to 174 psi
<u>Temperature</u> +5°F to +158°F	<u>Construction</u> EPDM	<u>Highlight</u> Resistant to oils	

Description			
Reference	ID (in)	Length (ft)	Coupler
<b>RAL AISB3825</b>	3/8"	25'	ISI 061810
<b>RAL AISB3850</b>	3/8"	50'	ISI 061810
<b>RAL AISB38100</b>	3/8"	100'	ISI 061810
<b>RAL AESB3825</b>	3/8"	25'	ESI 071810
<b>RAL AESB3835</b>	3/8"	35'	ESI 071810
<b>RAL AESB3850</b>	3/8"	50'	ESI 071810

Reference	ID (in)	Length (ft)	Coupler
<b>RAL AESB38100</b>	3/8"	100'	ESI 071810
<b>RAL AUSB3825</b>	3/8"	50'	USI 061810
<b>RAL AUSB3835</b>	3/8"	35'	USI 061810
<b>RAL AUSB3850</b>	3/8"	50'	USI 061810
<b>RAL AUSB38100</b>	3/8"	100'	USI 061810

