


## Solid Band Worm Drive Clamps 1/3" Band



<u>Ø min./max. (in)</u> 0.31 - 0.55	<u>Tightening screw (lbf.ft)</u> 1.8 - 2.6	<u>Band width (in)</u> 0.354	<u>Construction</u> Treated zinc-plated steel
--	---	---------------------------------	--

Description			
Reference	Ø min./max. (in)	Tightening screw (lbf.ft)	Band width (in)
<b>PBS9 814</b>	0.31 - 0.55	1.8 - 2.6	0.354
<b>PBS9 1117</b>	0.43 - 0.67	1.8 - 2.6	0.354
<b>PBS9 1320</b>	0.51 - 0.79	2.2 - 3.0	0.354
<b>PBS9 1524</b>	0.59 - 0.94	2.2 - 3.0	0.354
<b>PBS9 1928</b>	0.75 - 1.10	2.2 - 3.0	0.354
<b>PBS9 2232</b>	0.87 - 1.26	2.2 - 3.0	0.354
<b>PBS9 2638</b>	1.02 - 1.50	3.0 - 3.3	0.354

Reference	Ø min./max. (in)	Tightening screw (lbf.ft)	Band width (in)
<b>PBS9 3244</b>	1.26 - 1.73	3.0 - 3.3	0.354
<b>PBS9 3850</b>	1.50 - 1.97	3.0 - 3.3	0.354
<b>PBS9 4456</b>	1.73 - 2.20	3.0 - 3.3	0.354
<b>PBS9 5065</b>	1.97 - 2.56	3.0 - 3.3	0.354



### Dimensions

Reference	A inch	B inch
<b>PBS9 814</b>	0.787	
<b>PBS9 1117</b>	0.065616797900262	0.0026246719160105
<b>PBS9 1320</b>	0.065616797900262	0.0026246719160105
<b>PBS9 1524</b>	0.945	

Reference	A inch	B inch
<b>PBS9 1928</b>	0.945	
<b>PBS9 2232</b>	0.945	
<b>PBS9 2638</b>	0.945	
<b>PBS9 3244</b>	1.142	
<b>PBS9 3850</b>	1.142	
<b>PBS9 4456</b>	1.142	
<b>PBS9 5065</b>	1.26	