


Solid Band Worm Drive Clamps 1/3" Band



| | | | |
|--|---|---------------------------------|--|
| <u>Ø min./max. (in)</u> 0.31 - 0.55 | <u>Tightening screw (lbf.ft)</u> 1.8 - 2.6 | <u>Band width (in)</u> 0.354 | <u>Construction</u> Treated zinc-plated steel |
|--|---|---------------------------------|--|

| Description | | | |
|------------------|------------------|---------------------------|-----------------|
| Reference | Ø min./max. (in) | Tightening screw (lbf.ft) | Band width (in) |
| PBS9 814 | 0.31 - 0.55 | 1.8 - 2.6 | 0.354 |
| PBS9 1117 | 0.43 - 0.67 | 1.8 - 2.6 | 0.354 |
| PBS9 1320 | 0.51 - 0.79 | 2.2 - 3.0 | 0.354 |
| PBS9 1524 | 0.59 - 0.94 | 2.2 - 3.0 | 0.354 |
| PBS9 1928 | 0.75 - 1.10 | 2.2 - 3.0 | 0.354 |
| PBS9 2232 | 0.87 - 1.26 | 2.2 - 3.0 | 0.354 |
| PBS9 2638 | 1.02 - 1.50 | 3.0 - 3.3 | 0.354 |

| Reference | Ø min./max. (in) | Tightening screw (lbf.ft) | Band width (in) |
|------------------|------------------|---------------------------|-----------------|
| PBS9 3244 | 1.26 - 1.73 | 3.0 - 3.3 | 0.354 |
| PBS9 3850 | 1.50 - 1.97 | 3.0 - 3.3 | 0.354 |
| PBS9 4456 | 1.73 - 2.20 | 3.0 - 3.3 | 0.354 |
| PBS9 5065 | 1.97 - 2.56 | 3.0 - 3.3 | 0.354 |



Dimensions

| Reference | A inch | B inch |
|------------------|-------------------|--------------------|
| PBS9 814 | 0.787 | |
| PBS9 1117 | 0.065616797900262 | 0.0026246719160105 |
| PBS9 1320 | 0.065616797900262 | 0.0026246719160105 |
| PBS9 1524 | 0.945 | |

| Reference | A inch | B inch |
|------------------|--------|--------|
| PBS9 1928 | 0.945 | |
| PBS9 2232 | 0.945 | |
| PBS9 2638 | 0.945 | |
| PBS9 3244 | 1.142 | |
| PBS9 3850 | 1.142 | |
| PBS9 4456 | 1.142 | |
| PBS9 5065 | 1.26 | |