

## Stainless steel single ear o clips



### Ø min./max. (mm)

07 - 09

### Band width (mm)

6

### Packaging

100


### Highlight

Tamperproof clamp

## Description

Reference	Ø min./max. (mm)	Band width (mm)	Packaging	Ø min./max. (in)	Band width (in)
<b>INOX 0709E</b>	07 - 09	6	100	0.39 - 0.47	0.256
<b>INOX 0810E</b>	08 - 10	6	100	0.43 - 0.51	0.256
<b>INOX 0911E</b>	09 - 11	6.5	100	0.47 - 0.55	0.276
<b>INOX 1012E</b>				0.51 - 0.59	0.276
<b>INOX 1113E</b>				0.55 - 0.63	0.276
<b>INOX 1214E</b>				0.59 - 0.67	0.276
<b>INOX 1315E</b>				0.63 - 0.71	0.276
<b>INOX 1416E</b>				0.67 - 0.75	0.295
<b>INOX 1517E</b>				0.71 - 0.79	0.295
<b>INOX 1618E</b>					

Reference	Ø min./max. (mm)	Band width (mm)	Packaging	Ø min./max. (in)	Band width (in)
INOX 1719E					
INOX 1820E					



Dimensions		
Reference	A inch	B inch
<b>INOX 0709E</b>	9.3	5.5
<b>INOX 0810E</b>	10.3	6
<b>INOX 0911E</b>	11.3	6.5
<b>INOX 1012E</b>	0.040354330708661	0.022965879265092
<b>INOX 1113E</b>	0.043635170603675	0.024606299212598
<b>INOX 1214E</b>	0.046916010498688	0.026246719160105
<b>INOX 1315E</b>	0.050196850393701	0.026246719160105
<b>INOX 1416E</b>	0.053477690288714	0.027887139107612
<b>INOX 1517E</b>	0.05741469816273	0.029527559055118
<b>INOX 1618E</b>	0.060695538057743	0.029527559055118
<b>INOX 1719E</b>	0.063976377952756	0.031167979002625
<b>INOX 1820E</b>	0.067257217847769	0.032808398950131