


Open Hose Reel - Rubber hose - High pressure - Grease



<p>ID (in) 1/4"</p>	<p>Length (ft) 33'</p>	<p>Outlet BSPP male thread 1/4" MBSP</p>	<p>Swivel inlet BSPP male thread 1/4"</p>
<p>Weight (lb) 40.79</p>	<p>Technology Pipe locked with ratchet stop</p>	<p>Construction Epoxy-coated steel case</p>	<p>Equipped with Fixed bracket</p>

Description					
Reference	ID (in)	Length (ft)	Outlet BSPP male thread	Swivel inlet BSPP male thread	Weight (lb)
DMO 0610GR	1/4"	33'	1/4" MBSP	1/4"	40.79

Reference	ID (in)	Length (ft)	Outlet BSPP male thread	Swivel inlet BSPP male thread	Weight (lb)
DMO 0615GR	1/4"	50'	1/4" MBSP	1/4"	45.20
DGO 0620GR	1/4"	65'	1/4" MBSP	1/4"	59.53



Dimensions

Reference	A inch	B inch	C inch
DMO 0610GR	1.5912073490814	1.5583989501312	0.77755905511811
DMO 0615GR	1.5912073490814	1.5583989501312	0.77755905511811
DGO 0620GR	1.5912073490814	1.5583989501312	0.77755905511811