



DMOI - DGOI series - 304 - Open Hose Reel - Stainless Steel Low Pressure Water - Food Grade



<p><u>ID (in)</u> 5/8"</p>	<p><u>Length (ft)</u> 33'</p>	<p><u>Coupler</u> ELS 09</p>	<p><u>Swivel inlet BSPP male thread</u> 1/2" MBSP</p>
<p><u>Weight (lb)</u> 44.10</p>	<p><u>Technology</u> Pipe locked with ratchet stop</p>	<p><u>Max operating pressure</u> 145 psi</p>	<p><u>Temperature</u> +5°F to +140°F</p>
<p><u>Construction</u> AISI 304 stainless steel case</p>	<p><u>Connection</u> 3.3 ft of inlet supply hose</p>	<p><u>Equipped with</u> Fixed bracket</p>	

Description

Reference	ID (in)	Length (ft)	Coupler	Swivel inlet BSP male thread	Weight (lb)	ID/OD (mm)	Length (m)	Weight (kg)
DMOI 1610LS	5/8"	33'	ELS 09	1/2" MBSP	44.10	16 x 24	15	25
DGOI 1615LS			ELS 09	G 1/2				



Dimensions

Reference	A inch	B inch	C inch
DMOI 1610LS	1.5912073490814	1.5583989501312	0.77755905511811
DGOI 1615LS	485	475	237