

Male flow regulator with knob (control in) - Metric tube to male BSPT - RPM IR



BSPT male thread

1/8" MBSP

For tube OD (mm)

4

Operating pressure

0 to 145 psi

Temperature

+32°F to +140°F


Construction

Polymer and nickel-plated
brass

Description

Reference	BSPT male thread	For tube OD (mm)
RPM IR0400	1/8" MBSP	4
RPM IR0401	R 1/4	4
RPM IR0600	1/8" MBSP	6
RPM IR0601	1/4" MBSP	6
RPM IR0602	3/8" MBSP	6

Reference	BSPT male thread	For tube OD (mm)
RPM IR0603	1/2" MBSP	6
RPM IR0800	1/8" MBSP	8
RPM IR0801	1/4" MBSP	8
RPM IR0802	3/8" MBSP	8
RPM IR0803	1/2" MBSP	8
RPM IR1000	1/8" MBSP	10
RPM IR1001	1/4" MBSP	10
RPM IR1002	3/8" MBSP	10
RPM IR1003	1/2" MBSP	10
RPM IR1201	1/4" MBSP	12
RPM IR1202	3/8" MBSP	12
RPM IR1203	1/2" MBSP	12



Dimensions

Reference	A inch	B inch	C inch	D inch	E inch
RPM IR0400	0.13779527559055	0.072178477690289	0.032808398950131	0.10826771653543	0.045931758530184
RPM IR0401	49	24	14	40	18.2
RPM IR0600	0.13451443569554	0.075459317585302	0.032808398950131	0.10990813648294	0.04757217847769
RPM IR0601	0.16076115485564	0.083661417322835	0.045931758530184	0.13123359580052	0.059711286089239
RPM IR0602	0.19028871391076	0.088910761154856	0.062335958005249	0.15419947506562	0.072178477690289
RPM IR0603	0.20669291338583	0.098753280839895	0.078740157480315	0.16404199475066	0.08989501312336
RPM IR0800	0.13451443569554	0.080708661417323	0.032808398950131	0.10990813648294	0.04757217847769
RPM IR0801	0.16076115485564	0.087926509186352	0.045931758530184	0.13123359580052	0.059711286089239
RPM IR0802	0.19028871391076	0.094488188976378	0.062335958005249	0.15419947506562	0.072178477690289
RPM IR0803	0.20669291338583	0.1000656167979	0.078740157480315	0.16404199475066	0.08989501312336
RPM IR1000	0.13451443569554	0.093503937007874	0.032808398950131	0.10990813648294	0.04757217847769
RPM IR1001	0.16076115485564	0.10170603674541	0.045931758530184	0.13123359580052	0.059711286089239
RPM IR1002	0.19028871391076	0.10170603674541	0.062335958005249	0.15419947506562	0.072178477690289
RPM IR1003	0.20669291338583	0.11154855643045	0.078740157480315	0.16404199475066	0.08989501312336
RPM IR1201	0.16076115485564	0.10433070866142	0.045931758530184	0.13123359580052	0.059711286089239

Reference	A inch	B inch	C inch	D inch	E inch
RPM IR1202	0.19028871391076	0.11154855643045	0.062335958005249	0.15419947506562	0.072178477690289
RPM IR1203	0.20669291338583	0.11745406824147	0.078740157480315	0.16404199475066	0.08989501312336