

Female banjo - Metric tube to female BSPP - RPB FG



BSPP female thread

1/8" FBSP

For tube OD (mm)

4

Operating pressure

0 to 145 psi

Temperature

+32°F to +140°F


Construction

Polymer and nickel-plated
brass

Description

Reference	BSPP female thread	For tube OD (mm)
RPB FG0400	1/8" FBSP	4
RPB FG0401	1/4" FBSP	4
RPB FG0600	1/8" FBSP	6
RPB FG0601	1/4" FBSP	6
RPB FG0602	3/8" FBSP	6

Reference	BSPF female thread	For tube OD (mm)
RPB FG0603	1/2" FBSP	6
RPB FG0800	1/8" FBSP	8
RPB FG0801	1/4" FBSP	8
RPB FG0802	3/8" FBSP	8
RPB FG0803	1/2" FBSP	8
RPB FG1000	1/8" FBSP	10
RPB FG1001	1/4" FBSP	10
RPB FG1002	3/8" FBSP	10
RPB FG1003	1/2" FBSP	10
RPB FG1201	1/4" FBSP	12
RPB FG1202	3/8" FBSP	12
RPB FG1203	1/2" FBSP	12
RPB FG1602	3/8" FBSP	16
RPB FG1603	1/2" FBSP	16



Dimensions

Reference	A inch	B inch	C inch	D inch	E inch
RPB FG0400	0.098425196850394	0.077099737532808	0.039370078740158	0.080380577427821	0.032808398950131
RPB FG0401	0.10498687664042	0.078740157480315	0.055774278215223	0.085301837270341	0.032808398950131
RPB FG0600	0.098425196850394	0.075459317585302	0.039370078740158	0.080380577427821	0.041994750656168
RPB FG0601	0.10498687664042	0.082020997375328	0.055774278215223	0.085301837270341	0.041994750656168
RPB FG0602	0.12795275590551	0.086942257217848	0.062335958005249	0.10662729658793	0.041994750656168
RPB FG0603	0.13779527559055	0.097769028871391	0.078740157480315	0.11154855643045	0.041994750656168
RPB FG0800	0.098425196850394	0.082020997375328	0.039370078740158	0.080380577427821	0.045275590551181
RPB FG0801	0.10498687664042	0.088582677165354	0.055774278215223	0.085301837270341	0.045275590551181
RPB FG0802	0.12795275590551	0.095144356955381	0.062335958005249	0.10662729658793	0.045275590551181
RPB FG0803	0.13779527559055	0.099409448818898	0.078740157480315	0.11154855643045	0.045275590551181
RPB FG1000	0.098425196850394	0.095144356955381	0.039370078740158	0.080380577427821	0.05511811023622
RPB FG1001	0.10498687664042	0.10826771653543	0.055774278215223	0.085301837270341	0.05511811023622
RPB FG1002	0.12795275590551	0.10498687664042	0.062335958005249	0.10662729658793	0.05511811023622
RPB FG1003	0.13779527559055	0.11154855643045	0.078740157480315	0.11154855643045	0.05511811023622
RPB FG1201	0.10498687664042	0.10170603674541	0.055774278215223	0.085301837270341	0.06496062992126
RPB FG1202	0.12795275590551	0.11154855643045	0.062335958005249	0.10662729658793	0.06496062992126

Reference	A inch	B inch	C inch	D inch	E inch
RPB FG1203	0.13779527559055	0.11811023622047	0.078740157480315	0.11154855643045	0.06496062992126
RPB FG1602	0.12795275590551	0.11154855643045	0.062335958005249	0.10662729658793	0.078083989501312
RPB FG1603	0.13779527559055	0.11909448818898	0.078740157480315	0.11154855643045	0.078083989501312