

Straight female connector - Metric tube to female BSPP - RPD FG



BSPP female thread

1/8" FBSP

For tube OD (mm)

4

Operating pressure

0 to 145 psi

Temperature

+32°F to +140°F


Construction

Polymer and nickel-plated
brass

Description

Reference	BSPP female thread	For tube OD (mm)
RPD FG0400	1/8" FBSP	4
RPD FG0401	1/4" FBSP	4
RPD FG0600	1/8" FBSP	6
RPD FG0601	1/4" FBSP	6
RPD FG0602	3/8" FBSP	6
RPD FG0603	1/2" FBSP	6

Reference	BSPF female thread	For tube OD (mm)
RPD FG0800	1/8" FBSP	8
RPD FG0801	1/4" FBSP	8
RPD FG0802	3/8" FBSP	8
RPD FG0803	1/2" FBSP	8
RPD FG1000	1/8" FBSP	10
RPD FG1001	1/4" FBSP	10
RPD FG1002	3/8" FBSP	10
RPD FG1003	1/2" FBSP	10
RPD FG1201	1/4" FBSP	12
RPD FG1202	3/8" FBSP	12
RPD FG1203	G 1/2	12
RPD FG1402	3/8" FBSP	14
RPD FG1403	1/2" FBSP	14
RPD FG1602	3/8" FBSP	16
RPD FG1603	1/2" FBSP	16



Dimensions

Reference	A inch	B inch	C inch	D inch
RPD FG0400	0.078740157480315	0.054133858267717	0.045931758530184	0.045931758530184
RPD FG0401	0.086942257217848	0.065616797900262	0.055774278215223	0.062335958005249
RPD FG0600	0.088582677165354	0.054133858267717	0.045931758530184	0.065616797900262
RPD FG0601	0.085301837270341	0.065616797900262	0.055774278215223	0.060695538057743
RPD FG0602	0.093503937007874	0.072178477690289	0.062335958005249	0.067257217847769
RPD FG0603	0.10170603674541	0.091863517060367	0.078740157480315	0.068897637795276
RPD FG0800	0.091863517060367	0.065616797900262	0.055774278215223	0.068897637795276
RPD FG0801	0.091863517060367	0.065616797900262	0.055774278215223	0.067257217847769
RPD FG0802	0.093503937007874	0.072178477690289	0.062335958005249	0.067257217847769
RPD FG0803	0.10170603674541	0.091863517060367	0.078740157480315	0.068897637795276
RPD FG1000	0.096784776902887	0.072178477690289	0.062335958005249	0.073818897637795
RPD FG1001	0.096784776902887	0.072178477690289	0.062335958005249	0.072178477690289
RPD FG1002	0.10498687664042	0.080380577427821	0.068897637795276	0.078740157480315
RPD FG1003	0.10498687664042	0.091863517060367	0.078740157480315	0.072178477690289
RPD FG1201	0.10334645669291	0.080380577427821	0.068897637795276	0.078740157480315

Reference	A inch	B inch	C inch	D inch
RPD FG1202	0.10826771653543	0.080380577427821	0.068897637795276	0.082020997375328
RPD FG1203	33	28	24	23
RPD FG1402	0.10269028871391	0.091863517060367	0.078740157480315	0.076443569553806
RPD FG1403	0.10498687664042	0.091863517060367	0.078740157480315	0.072178477690289
RPD FG1602	0.11154855643045	0.091863517060367	0.078740157480315	0.085301837270341
RPD FG1603	0.11482939632546	0.091863517060367	0.078740157480315	0.082020997375328