

Female bulkhead connector - Metric tube to female BSPP - RPD TG



BSPP female thread

1/8" FBSP

For tube OD (mm)

4

Operating pressure

0 to 145 psi

Temperature

+32°F to +140°F


Construction

Polymer and nickel-plated
brass

Description

Reference	BSPP female thread	For tube OD (mm)
RPD TG0400	1/8" FBSP	4
RPD TG0401	1/4" FBSP	4
RPD TG0600	1/8" FBSP	6
RPD TG0601	1/4" FBSP	6

Reference	BSPF female thread	For tube OD (mm)
RPD TG0602	3/8" FBSP	6
RPD TG0603	1/2" FBSP	6
RPD TG0800	1/8" FBSP	8
RPD TG0801	1/4" FBSP	8
RPD TG0802	3/8" FBSP	8
RPD TG0803	1/2" FBSP	8
RPD TG1000	1/8" FBSP	10
RPD TG1001	1/4" FBSP	10
RPD TG1002	3/8" FBSP	10
RPD TG1003	1/2" FBSP	10
RPD TG1201	1/4" FBSP	12
RPD TG1202	3/8" FBSP	12
RPD TG1203	1/2" FBSP	12
RPD TG1402	3/8" FBSP	14
RPD TG1403	1/2" FBSP	14
RPD TG1602	3/8" FBSP	16
RPD TG1603	1/2" FBSP	16



Dimensions

Reference	A inch	B inch	C inch	D inch	E inch
RPD TG0400	0.080380577427821	0.054133858267717	0.045931758530184	0.050853018372703	0.032808398950131
RPD TG0401	0.085301837270341	0.065616797900262	0.055774278215223	0.055774278215223	0.032808398950131
RPD TG0600	0.088582677165354	0.065616797900262	0.055774278215223	0.060695538057743	0.041994750656168
RPD TG0601	0.091863517060367	0.065616797900262	0.055774278215223	0.060695538057743	0.041994750656168
RPD TG0602	0.096784776902887	0.072178477690289	0.062335958005249	0.063976377952756	0.041994750656168
RPD TG0603	0.10170603674541	0.091863517060367	0.078740157480315	0.062335958005249	0.041994750656168
RPD TG0800	0.086942257217848	0.065616797900262	0.055774278215223	0.05741469816273	0.045275590551181
RPD TG0801	0.091863517060367	0.065616797900262	0.055774278215223	0.060695538057743	0.045275590551181
RPD TG0802	0.095144356955381	0.072178477690289	0.062335958005249	0.062335958005249	0.045275590551181
RPD TG0803	0.10334645669291	0.091863517060367	0.078740157480315	0.063976377952756	0.045275590551181
RPD TG1000	0.096784776902887	0.080380577427821	0.068897637795276	0.068897637795276	0.05511811023622
RPD TG1001	0.096784776902887	0.080380577427821	0.068897637795276	0.065616797900262	0.05511811023622
RPD TG1002	0.10334645669291	0.080380577427821	0.068897637795276	0.070538057742782	0.05511811023622
RPD TG1003	0.10334645669291	0.091863517060367	0.078740157480315	0.063976377952756	0.05511811023622
RPD TG1201	0.10498687664042	0.091863517060367	0.078740157480315	0.073818897637795	0.06496062992126

Reference	A inch	B inch	C inch	D inch	E inch
RPD TG1202	0.10826771653543	0.091863517060367	0.078740157480315	0.075459317585302	0.06496062992126
RPD TG1203	0.10826771653543	0.091863517060367	0.078740157480315	0.068897637795276	0.06496062992126
RPD TG1402	0.10662729658793	0.091863517060367	0.078740157480315	0.073818897637795	0.074475065616798
RPD TG1403	0.11318897637795	0.091863517060367	0.078740157480315	0.073818897637795	0.074475065616798
RPD TG1602	0.10597112860892	0.091863517060367	0.078740157480315	0.073162729658793	0.078083989501312
RPD TG1603	0.11253280839895	0.091863517060367	0.078740157480315	0.073162729658793	0.078083989501312