


## MFC activated carbon filtration



<p><b>Female thread (BSPP)</b> G 1/4</p>	<p><b>Flow rate (in m<sup>3</sup>/h at 7 bar)</b> 34</p>	<p><b>Replacement filter cartridge</b> MFCC 301</p>	<p><b>Max operating pressure</b> 16 bar 16 bar, 11 bar for G 1 1/2 to G3</p>
<p><b>Temperature</b> +1°C to +66°C</p>	<p><b>Construction</b> Aluminium body and bowl</p>	<p><b>Filtration</b> Activated carbon filter</p>	

Description					
Reference	Female thread (BSPP)	Flow rate (in m <sup>3</sup> /h at 7 bar)	Replacement filter cartridge	Female thread (NPT)	Flow rate (cfm at 100 psi)
<b>MFC 301</b>	G 1/4	34	MFCC 301	1/4" FNPT	20
<b>MFC 3201</b>			MFCC 301	3/8" FNPT	35

Reference	Female thread (BSP)	Flow rate (in m <sup>3</sup> /h at 7 bar)	Replacement filter cartridge	Female thread (NPT)	Flow rate (cfm at 100 psi)
<b>MFC 3202</b>			MFCC 302	1/2" FNPT	50
<b>MFC 3203</b>			MFCC 303	3/4" FNPT	75
<b>MFC 3204</b>			MFCC 304	3/4" FNPT	103
<b>MFC 3205</b>			MFCC 305	1" FNPT	157
<b>MFC 3206</b>			MFCC 306	1" 1/2 FNPT	257
<b>MFC 3207</b>			MFCC 307	1" 1/2 FNPT	360
<b>MFC 3208</b>			MFCC 308	2" FNPT	401
<b>MFC 3209</b>			MFCC 309	2" 1/2 FNPT	584
<b>MFC 3210</b>			MFCC 310	2" 1/2 FNPT	775
<b>MFC 3211</b>			MFCC 311	2" 1/2 FNPT	1029
<b>MFC 3212</b>			MFCC 312	3" FNPT	1199
<b>MFC 3213</b>			MFCC 313	3" FNPT	1499
<b>MFC 3214</b>			MFCC 314		



### Dimensions

Reference	A inch	B inch	C inch	D inch
<b>MFC 301</b>	113.6	205.5	171.4	76
<b>MFC 3201</b>	0.37270341207349	0.6742125984252	0.56233595800525	0.249343832021
<b>MFC 3202</b>	0.37270341207349	0.6742125984252	0.56233595800525	0.249343832021
<b>MFC 3203</b>	0.37270341207349	0.82677165354331	0.70997375328084	0.249343832021
<b>MFC 3204</b>	0.43307086614173	0.85990813648294	0.72112860892388	0.249343832021
<b>MFC 3205</b>	0.43307086614173	0.85990813648294	0.72112860892388	0.249343832021
<b>MFC 3206</b>	0.43307086614173	1.0698818897638	0.78346456692913	0.249343832021
<b>MFC 3207</b>	0.65616797900263	1.1046587926509	0.90583989501312	0.249343832021
<b>MFC 3208</b>	0.65616797900263	1.4229002624672	1.2240813648294	0.249343832021
<b>MFC 3209</b>	0.65616797900263	1.8569553805774	1.6581364829396	0.249343832021

Reference	A inch	B inch	C inch	D inch
<b>MFC 3210</b>	0.75721784776903	2.0813648293963	1.8044619422572	0.249343832021
<b>MFC 3211</b>	0.75721784776903	2.0813648293963	1.8044619422572	0.249343832021
<b>MFC 3212</b>	0.75721784776903	2.0813648293963	1.8044619422572	0.249343832021
<b>MFC 3213</b>	0.75721784776903	2.6807742782152	2.4038713910761	0.249343832021
<b>MFC 3214</b>	0.75721784776903	3.5600393700787	3.2831364829396	0.249343832021