


MFC activated carbon filtration



<u>Female thread (BSPP)</u> G 1/4	<u>Flow rate (in m³/h at 7 bar)</u> 34	<u>Replacement filter cartridge</u> MFCC 301	<u>Max operating pressure</u> 16 bar 16 bar, 11 bar for G 1 1/2 to G3
<u>Temperature</u> +1°C to +66°C	<u>Construction</u> Aluminium body and bowl	<u>Filtration</u> Activated carbon filter	

Description					
Reference	Female thread (BSPP)	Flow rate (in m ³ /h at 7 bar)	Replacement filter cartridge	Female thread (NPT)	Flow rate (cfm at 100 psi)
MFC 301	G 1/4	34	MFCC 301	1/4" FNPT	20
MFC 3201			MFCC 301	3/8" FNPT	35

Reference	Female thread (BSP)	Flow rate (in m ³ /h at 7 bar)	Replacement filter cartridge	Female thread (NPT)	Flow rate (cfm at 100 psi)
MFC 3202			MFCC 302	1/2" FNPT	50
MFC 3203			MFCC 303	3/4" FNPT	75
MFC 3204			MFCC 304	3/4" FNPT	103
MFC 3205			MFCC 305	1" FNPT	157
MFC 3206			MFCC 306	1" 1/2 FNPT	257
MFC 3207			MFCC 307	1" 1/2 FNPT	360
MFC 3208			MFCC 308	2" FNPT	401
MFC 3209			MFCC 309	2" 1/2 FNPT	584
MFC 3210			MFCC 310	2" 1/2 FNPT	775
MFC 3211			MFCC 311	2" 1/2 FNPT	1029
MFC 3212			MFCC 312	3" FNPT	1199
MFC 3213			MFCC 313	3" FNPT	1499
MFC 3214			MFCC 314		



Dimensions

Reference	A inch	B inch	C inch	D inch
MFC 301	113.6	205.5	171.4	76
MFC 3201	0.37270341207349	0.6742125984252	0.56233595800525	0.249343832021
MFC 3202	0.37270341207349	0.6742125984252	0.56233595800525	0.249343832021
MFC 3203	0.37270341207349	0.82677165354331	0.70997375328084	0.249343832021
MFC 3204	0.43307086614173	0.85990813648294	0.72112860892388	0.249343832021
MFC 3205	0.43307086614173	0.85990813648294	0.72112860892388	0.249343832021
MFC 3206	0.43307086614173	1.0698818897638	0.78346456692913	0.249343832021
MFC 3207	0.65616797900263	1.1046587926509	0.90583989501312	0.249343832021
MFC 3208	0.65616797900263	1.4229002624672	1.2240813648294	0.249343832021
MFC 3209	0.65616797900263	1.8569553805774	1.6581364829396	0.249343832021

Reference	A inch	B inch	C inch	D inch
MFC 3210	0.75721784776903	2.0813648293963	1.8044619422572	0.249343832021
MFC 3211	0.75721784776903	2.0813648293963	1.8044619422572	0.249343832021
MFC 3212	0.75721784776903	2.0813648293963	1.8044619422572	0.249343832021
MFC 3213	0.75721784776903	2.6807742782152	2.4038713910761	0.249343832021
MFC 3214	0.75721784776903	3.5600393700787	3.2831364829396	0.249343832021